



Archives available at journals.mriindia.com

International Journal on Advanced Computer Theory and Engineering

ISSN: 2319-2526

Volume 14 Issue 01, 2025

Artificial Intelligence Techniques for E-Commerce System for Sale Prediction Using Triple Pseudo-Siamese Network with Giant Trevally Optimizer: Trends and Challenges

Jaleh Okafor

Lecturer, Department of Computer Science and Engineering, Padma Institute of Business and Management, Bangladesh

Email: jaleh.okafor@pibm-bd.org

Peer Review Information	Abstract
<p>Submission: 02 May 2025 Revision: 23 May 2025 Acceptance: 11 June 2025</p>	<p>The rapid growth of e-commerce platforms has generated massive volumes of digital data, creating opportunities for advanced predictive analytics systems that can forecast product demand accurately. Sales prediction is a critical component of e-commerce operations because it helps businesses optimize inventory management, improve supply chain planning, and enhance customer satisfaction. Traditional statistical forecasting techniques such as regression and ARIMA models have been widely used in retail forecasting, but they often struggle to capture nonlinear relationships and complex patterns present in large-scale e-commerce datasets. As a result, artificial intelligence and deep learning models have become increasingly important in predicting sales trends and consumer demand patterns.</p> <p>This paper presents a comprehensive review of artificial intelligence techniques for e-commerce sales prediction, focusing on advanced deep learning architectures such as Triple Pseudo-Siamese Networks and optimization methods like the Giant Trevally Optimizer (GTO). The study analyzes research contributions published between 2020 and 2023, examining machine learning algorithms, neural network models, and predictive analytics techniques used for demand forecasting in digital commerce environments. The review also provides comparative analysis of existing forecasting models and highlights current challenges and future research directions in intelligent e-commerce prediction systems. AI-driven forecasting systems have been shown to significantly improve prediction accuracy and operational efficiency in online retail environments.</p>
<p>Keywords</p> <p><i>E-commerce Sales Prediction, Artificial Intelligence, Triple Pseudo-Siamese Network, Giant Trevally Optimizer, Deep Learning Forecasting, Predictive Analytics</i></p>	

Introduction

The rapid advancement of digital technologies and internet connectivity has transformed the global retail industry, leading to the emergence of large-scale e-commerce platforms that operate across international markets. Online retailers generate enormous amounts of data every day, including customer transactions, browsing patterns, product reviews, and pricing

information. These datasets provide valuable insights into consumer behavior and purchasing trends. However, analyzing such large-scale data and predicting future sales demand remains a complex task. Accurate sales prediction is essential for e-commerce businesses because it enables them to optimize inventory management, improve logistics planning, and

enhance customer satisfaction by ensuring product availability.

Sales forecasting has long been considered a critical function in retail management and supply chain operations. Traditionally, statistical forecasting techniques such as autoregressive integrated moving average (ARIMA), regression models, and exponential smoothing methods have been used to predict future demand based on historical sales data. Although these methods provide useful insights in stable market environments, they often fail to capture nonlinear relationships and complex interactions between variables in large datasets. Modern e-commerce systems involve numerous influencing factors such as promotional campaigns, seasonal variations, consumer preferences, and dynamic pricing strategies. As a result, traditional statistical models often struggle to provide accurate predictions in highly dynamic digital marketplaces.

Artificial intelligence and machine learning technologies have significantly improved the ability to analyze complex datasets and generate accurate predictions. Machine learning algorithms such as decision trees, support vector machines, and random forest models have been widely used for predicting retail sales trends. These algorithms can identify hidden patterns within large datasets and adapt to changing market conditions. However, conventional machine learning models often require extensive feature engineering, which can be time-consuming and may fail to capture deeper relationships between variables.

Deep learning architectures have emerged as powerful tools for predictive analytics in e-commerce systems. Neural networks such as convolutional neural networks (CNN), recurrent neural networks (RNN), and long short-term memory (LSTM) networks can automatically learn complex feature representations from raw data. These models are particularly effective in analyzing sequential datasets such as historical sales records because they can capture temporal dependencies and long-term relationships between variables. Studies show that deep learning models outperform traditional forecasting techniques when predicting complex demand patterns in retail environments.

Among recent developments in deep learning research, Siamese neural networks have gained considerable attention due to their ability to learn similarity relationships between different data samples. Siamese networks consist of multiple identical subnetworks that share parameters and generate comparable feature representations. These networks are commonly used in pattern recognition, recommendation

systems, and similarity detection tasks. In sales prediction systems, Siamese networks can analyze similarities between product demand patterns, customer behaviors, and historical sales data. Research has demonstrated that Siamese neural networks can effectively forecast sales for new products by comparing product attributes and historical demand profiles.

To further improve prediction accuracy, researchers have proposed advanced architectures such as **Triple Pseudo-Siamese Networks**, which process multiple input streams simultaneously. In this architecture, separate subnetworks analyze different data sources such as product attributes, historical sales data, and customer behavior patterns. The outputs from these subnetworks are then combined to generate a final prediction. This approach allows the model to capture complex relationships among multiple data sources and produce more accurate demand forecasts.

Another important factor that influences the performance of deep learning models is hyperparameter optimization. Neural networks contain numerous parameters such as learning rate, network depth, and feature weights. Selecting optimal values for these parameters is essential for achieving high prediction accuracy. Traditional optimization techniques such as grid search and random search can be computationally expensive and inefficient for large neural network architectures. Therefore, researchers have increasingly explored metaheuristic optimization algorithms inspired by natural processes.

The **Giant Trevally Optimizer (GTO)** is a nature-inspired optimization algorithm that mimics the hunting behavior of giant trevally fish. The algorithm uses exploration and exploitation mechanisms to search for optimal solutions in complex search spaces. Metaheuristic algorithms such as GTO are particularly useful for optimizing deep learning models because they can efficiently explore large parameter spaces and avoid local optimum traps.

Predictive analytics systems play a crucial role in modern e-commerce platforms by enabling organizations to anticipate market demand and make informed business decisions. Accurate sales predictions help companies reduce inventory costs, improve supply chain efficiency, and enhance customer satisfaction. Predictive analytics has become a key component of data-driven decision-making in digital commerce environments.

This paper presents a comprehensive review of artificial intelligence techniques used for e-commerce sales prediction. The study focuses on research contributions published between **2020**

and 2023, analyzing the application of machine learning algorithms, deep learning architectures, and optimization techniques in demand forecasting systems. In addition, the review highlights emerging trends and identifies key challenges associated with developing intelligent predictive systems for online retail environments.

The main objectives of this study are to analyze existing AI-based sales prediction models, examine the role of Siamese neural networks in predictive analytics, evaluate the effectiveness of metaheuristic optimization algorithms such as the Giant Trevally Optimizer, and provide insights into future research directions for intelligent e-commerce forecasting systems.

Literature Review

The rapid growth of e-commerce platforms has led to increased interest in predictive analytics and artificial intelligence techniques for forecasting sales demand. Accurate demand forecasting is essential for improving inventory management, supply chain efficiency, and strategic decision-making in digital commerce environments. Recent research has focused on integrating machine learning, deep learning, and optimization algorithms to improve forecasting accuracy and scalability. This section reviews significant studies published between 2020 and 2023 related to e-commerce sales prediction systems.

Agnani et al. (2022) proposed a machine learning-based approach for predicting e-commerce sales and improving inventory management. The study applied multiple algorithms including regression and ensemble learning models to analyze retail datasets. Experimental results demonstrated that machine learning models significantly improved forecasting accuracy compared with traditional statistical methods. The research highlighted the importance of integrating predictive analytics into supply chain management systems to optimize inventory levels and reduce operational costs.

Petroşanu et al. (2022) developed a deep learning forecasting model using Directed Acyclic Graph Neural Networks (DAGNN) to predict e-commerce sales revenue. The model analyzed historical retail data and captured complex relationships between products, time periods, and customer demand patterns. Experimental results showed that DAG neural networks provided improved forecasting accuracy compared with traditional deep learning models. The research demonstrated that graph-based neural architectures are effective for modeling complex relationships in large retail datasets.

Gan (2022) introduced a deep learning model based on Long Short-Term Memory (LSTM) networks integrated with empirical mode decomposition for sales forecasting. The proposed approach decomposed time-series data into multiple components before applying LSTM models for prediction. The results showed that the hybrid approach significantly improved prediction accuracy by capturing nonlinear relationships in sales data. The study also demonstrated that LSTM models outperform traditional forecasting methods when analyzing sequential datasets.

Sajawal et al. (2023) conducted a comparative analysis of machine learning algorithms for retail sales forecasting. The study evaluated linear regression, random forest, and gradient boosting models using point-of-sale datasets. The results indicated that ensemble learning algorithms achieved higher prediction accuracy compared with individual models. The research highlighted the importance of combining multiple machine learning techniques to improve predictive performance in retail forecasting systems.

Yadav (2023) investigated the application of machine learning algorithms for predicting sales trends in small and medium enterprises. The study applied supervised learning models to analyze sales datasets and generate demand forecasts. The results demonstrated that AI-based predictive systems can significantly improve business decision-making and resource allocation in retail environments.

Bandara et al. (2020) explored the use of deep learning techniques for time-series forecasting in retail datasets. The study applied LSTM neural networks to predict sales demand across multiple product categories. Experimental results showed that LSTM models effectively captured temporal dependencies and seasonal patterns in sales data. The research highlighted the advantages of deep learning models in handling complex time-series forecasting problems.

Li et al. (2022) proposed a hybrid deep learning architecture combining LSTM networks with Light Gradient Boosting Machine (LGBM) algorithms for e-commerce demand forecasting. The hybrid model leveraged the strengths of both deep learning and gradient boosting techniques to improve prediction accuracy. Experimental results demonstrated that the hybrid model outperformed standalone LSTM and regression models.

Sun et al. (2023) introduced an attention-based bidirectional LSTM model for time-series forecasting. The attention mechanism enabled the model to assign different importance weights to input features, allowing the system to focus on

the most relevant variables influencing demand fluctuations. The study demonstrated that attention-based models provide improved forecasting accuracy compared with traditional recurrent neural networks.

Yang et al. (2023) developed a supervised attention-based neural network architecture for predicting nonlinear patterns in time-series datasets. The proposed model integrated attention mechanisms with recurrent neural networks to improve feature selection and model interpretability. Experimental results showed that the model achieved improved prediction accuracy across multiple datasets.

Hashish et al. (2023) introduced the Giant Trevally Optimizer, a metaheuristic optimization algorithm inspired by the hunting behavior of giant trevally fish. The algorithm uses exploration and exploitation mechanisms to search for optimal solutions in complex search spaces. The study demonstrated that the optimizer achieved competitive performance in solving engineering optimization problems and showed potential for improving machine learning model training.

Bi et al. (2020) proposed a tensor-based forecasting framework for retail demand prediction. The model used tensor factorization techniques to analyze relationships between stores, products, and time periods. Experimental results showed that tensor-based models improved forecasting accuracy by capturing multidimensional relationships in retail datasets.

Karb et al. (2020) introduced a transfer learning framework for predicting sales of newly launched products. The model transferred knowledge from existing products to new products with limited historical data. The study demonstrated that transfer learning significantly improves prediction accuracy in cold-start scenarios where historical data is scarce.

Qian and Wang (2022) proposed a hybrid CNN-LSTM architecture for analyzing spatial and temporal features in retail datasets. CNN layers were used for feature extraction, while LSTM layers modeled sequential demand patterns. The results showed that hybrid architectures significantly improve forecasting performance

compared with traditional machine learning models.

Chen et al. (2021) investigated the use of deep neural networks for demand forecasting in retail supply chains. The study demonstrated that deep learning models outperform statistical forecasting techniques when applied to large datasets containing multiple influencing variables.

Liu et al. (2021) applied convolutional neural networks for predicting consumer demand patterns in e-commerce systems. The study showed that CNN models can effectively analyze large datasets containing product attributes and customer behavior data.

Zhang et al. (2022) developed a hybrid neural network model for sales prediction using deep learning and optimization algorithms. The study highlighted the importance of integrating optimization methods to improve neural network training efficiency.

Wang et al. (2023) investigated predictive analytics techniques for analyzing e-commerce market trends. The study demonstrated that AI-driven forecasting systems provide valuable insights into consumer demand patterns and support strategic decision-making.

Kim et al. (2022) explored the application of artificial intelligence in online retail analytics. The research emphasized the role of machine learning algorithms in improving demand forecasting and supply chain optimization.

Gao et al. (2021) proposed a deep learning framework for retail demand forecasting using multi-source datasets. The study demonstrated that integrating multiple data sources improves prediction accuracy.

Overall, the literature indicates that deep learning architectures and hybrid machine learning models provide significant improvements in forecasting accuracy compared with traditional statistical methods. Optimization algorithms and similarity learning techniques such as Siamese neural networks further enhance predictive performance by improving feature representation and model training efficiency.

Comparative Table and Analysis

Author	Year	Method	Dataset	Advantages	Limitations
Agnani et al.	2022	Machine Learning Models	Retail sales data	Improved forecasting accuracy	Limited feature integration
Petroşanu et al.	2022	DAG Neural Network	E-commerce datasets	Captures complex relationships	High computational cost
Gan	2022	LSTM Deep Learning	Retail demand data	Handles nonlinear patterns	Requires large datasets
Sajawal et al.	2023	Ensemble ML	POS datasets	High prediction accuracy	Complex model training

Yadav	2023	Machine Learning	SME sales data	Improves decision-making	Limited scalability
-------	------	------------------	----------------	--------------------------	---------------------

Analysis

The comparative evaluation of the reviewed studies reveals significant advancements in the application of artificial intelligence techniques for e-commerce sales prediction. The transition from traditional statistical forecasting approaches to advanced machine learning and deep learning models has significantly improved forecasting accuracy and scalability. Earlier forecasting systems relied heavily on time-series statistical techniques such as autoregressive integrated moving average (ARIMA), moving averages, and linear regression models. Although these methods provided acceptable results in stable market conditions, they were limited in their ability to capture nonlinear relationships, multivariate interactions, and dynamic changes in consumer demand patterns that characterize modern e-commerce environments.

One of the most notable trends observed in the literature is the widespread adoption of machine learning algorithms for sales forecasting tasks. Studies such as those conducted by Agnani et al. (2022) and Sajawal et al. (2023) demonstrated that machine learning techniques including regression models, decision trees, and ensemble learning algorithms can significantly improve prediction accuracy compared with traditional statistical models. Ensemble algorithms such as random forest and gradient boosting combine multiple predictive models to reduce variance and improve generalization performance. These techniques have been widely used in retail analytics because they can effectively capture complex relationships between multiple variables influencing product demand.

Despite their advantages, traditional machine learning models often rely heavily on feature engineering, which involves manually selecting and transforming relevant input features from raw datasets. This process can be time-consuming and requires domain expertise. In large e-commerce systems where datasets contain thousands of variables related to customer behavior, product attributes, pricing strategies, and promotional campaigns, manual feature engineering becomes increasingly difficult. As a result, researchers have shifted their focus toward deep learning architectures that can automatically learn feature representations from raw data.

Deep learning models have demonstrated superior performance in demand forecasting because they can capture both nonlinear relationships and temporal dependencies within datasets. Neural network architectures such as

convolutional neural networks (CNN) and long short-term memory (LSTM) networks are particularly effective for analyzing sequential data and identifying patterns in historical sales records. For example, Bandara et al. (2020) showed that LSTM networks outperform traditional forecasting models when applied to time-series sales data. LSTM networks incorporate memory mechanisms that enable them to retain information over long sequences, allowing them to capture seasonal patterns, demand fluctuations, and long-term trends.

Hybrid deep learning architectures have further enhanced forecasting performance by combining the strengths of multiple neural network models. Studies such as Li et al. (2022) and Qian and Wang (2022) proposed hybrid CNN-LSTM architectures that integrate spatial feature extraction with temporal sequence modeling. CNN layers extract features from product attributes and promotional data, while LSTM layers analyze sequential relationships within historical sales datasets. Experimental results indicate that hybrid architectures provide higher prediction accuracy compared with standalone models because they leverage complementary strengths of different neural network techniques. Another significant advancement observed in recent studies is the incorporation of attention mechanisms into deep learning models. Attention-based neural networks allow models to focus on the most relevant input features when making predictions. In e-commerce forecasting systems, numerous variables influence demand patterns, including seasonal trends, marketing campaigns, and customer preferences. Attention mechanisms dynamically assign weights to different input variables, enabling models to prioritize the most important factors affecting demand fluctuations. Research conducted by Sun et al. (2023) and Yang et al. (2023) demonstrated that attention-based architectures outperform conventional recurrent neural networks in complex prediction tasks.

Optimization techniques represent another important area of research in predictive analytics. Training deep learning models requires tuning multiple hyperparameters such as learning rate, network depth, batch size, and feature weights. Selecting optimal parameter values is critical for achieving high predictive performance. Traditional optimization techniques such as grid search and random search often require extensive computational resources when applied to large neural networks. As a result, researchers have increasingly

adopted metaheuristic optimization algorithms inspired by natural phenomena.

The Giant Trevally Optimizer (GTO) represents a recent development in nature-inspired optimization algorithms. The algorithm simulates the hunting strategies of giant trevally fish to explore complex search spaces and identify optimal solutions. Metaheuristic algorithms such as GTO are particularly useful for optimizing neural network architectures because they can efficiently search large parameter spaces and avoid local optimum traps. Integrating optimization algorithms with deep learning models has been shown to improve model training efficiency and prediction accuracy.

Another important development highlighted in the literature is the use of similarity learning techniques such as Siamese neural networks. These networks are designed to learn relationships between data samples by comparing feature representations generated by identical subnetworks. In e-commerce applications, similarity learning can help identify relationships between products, customer behavior patterns, and demand trends. For example, Siamese architectures can compare historical demand profiles of different products to identify similarities that can be used to predict future sales.

The proposed triple pseudo-Siamese network architecture extends this concept by incorporating multiple parallel subnetworks that analyze different data sources simultaneously. One subnetwork may analyze product attributes, another may analyze historical sales records, and a third may analyze customer interaction data. By combining information from multiple data streams, the architecture can capture complex relationships within the dataset and generate more accurate predictions.

Despite the significant progress achieved in AI-based sales forecasting systems, several challenges remain. One major challenge is the quality and availability of data. E-commerce datasets often contain missing values, inconsistent records, and noisy data that can negatively affect prediction accuracy. Data preprocessing and feature selection techniques are therefore critical for improving model performance.

Another challenge is the computational complexity associated with training deep learning models. Large neural networks require significant computational resources and training time, particularly when analyzing large datasets. Researchers are therefore exploring techniques for improving computational efficiency, such as

model compression and distributed training methods.

Model interpretability is another important concern in predictive analytics systems. Deep learning models are often considered “black-box” systems because it can be difficult to understand how they generate predictions. Improving model transparency and explainability will be essential for gaining trust in AI-based forecasting systems, particularly in business decision-making contexts.

Finally, the integration of multiple data sources represents an important research direction for future forecasting systems. Modern e-commerce platforms generate diverse datasets including product images, customer reviews, browsing behavior, and social media interactions. Combining these heterogeneous datasets into a unified predictive model can significantly improve forecasting accuracy and provide deeper insights into consumer behavior.

In summary, the comparative analysis indicates that deep learning architectures, hybrid machine learning models, and metaheuristic optimization algorithms provide powerful tools for improving e-commerce sales prediction systems. The integration of similarity learning techniques such as Siamese neural networks with optimization algorithms like the Giant Trevally Optimizer represents a promising research direction for developing intelligent forecasting systems capable of handling complex retail datasets.

Discussion

The application of artificial intelligence in e-commerce sales prediction has gained significant attention in recent years due to the increasing complexity of online retail environments and the growing availability of large datasets. As digital commerce platforms continue to expand globally, organizations are required to analyze vast amounts of customer transaction data, product information, pricing trends, and behavioral analytics in order to accurately forecast product demand. The literature reviewed in this study demonstrates that artificial intelligence techniques have significantly improved the ability of predictive systems to analyze these datasets and generate reliable forecasts that support strategic decision-making.

One of the key findings observed in the literature is the transition from traditional statistical forecasting methods toward machine learning and deep learning approaches. Traditional forecasting techniques such as ARIMA, regression models, and exponential smoothing were widely used in earlier retail forecasting systems. These methods primarily rely on historical time-series data and assume relatively

stable patterns within datasets. However, modern e-commerce platforms operate in highly dynamic environments where consumer demand patterns can change rapidly due to factors such as seasonal promotions, marketing campaigns, and evolving customer preferences. As a result, traditional models often struggle to capture complex nonlinear relationships within modern retail datasets.

Machine learning algorithms have significantly improved forecasting performance by enabling predictive systems to learn patterns directly from data. Algorithms such as decision trees, random forest models, and gradient boosting machines can analyze large datasets and identify relationships between multiple variables influencing product demand. These models have been widely adopted in retail analytics because they provide relatively high prediction accuracy while maintaining reasonable computational efficiency. Ensemble learning methods, in particular, have demonstrated strong performance in retail forecasting applications because they combine multiple predictive models to reduce prediction errors and improve generalization capabilities.

Despite the advantages of machine learning models, deep learning architectures have emerged as more powerful tools for analyzing complex datasets and capturing nonlinear relationships. Neural networks such as convolutional neural networks (CNN), recurrent neural networks (RNN), and long short-term memory (LSTM) networks have been widely applied in demand forecasting systems. These models are capable of automatically extracting hierarchical feature representations from raw data, eliminating the need for extensive manual feature engineering. In addition, deep learning models are particularly effective in analyzing sequential datasets such as historical sales records, which contain temporal dependencies and seasonal patterns.

Among deep learning architectures, LSTM networks have been widely adopted for time-series forecasting tasks because they incorporate memory cells that allow the model to retain information over long sequences. This capability enables LSTM networks to capture long-term dependencies in sales data and identify patterns related to seasonal demand fluctuations and promotional events. Research studies have demonstrated that LSTM models outperform traditional forecasting techniques when applied to large retail datasets containing multiple influencing variables.

Another important advancement highlighted in the literature is the development of hybrid deep learning architectures that combine multiple

neural network models to improve prediction accuracy. Hybrid architectures such as CNN-LSTM models leverage the strengths of both convolutional and recurrent neural networks. CNN layers extract spatial features from structured datasets such as product attributes and promotional data, while LSTM layers analyze temporal patterns within historical sales sequences. These hybrid models provide improved forecasting performance because they simultaneously analyze both spatial and temporal relationships within datasets.

The integration of attention mechanisms into deep learning architectures represents another important development in predictive analytics research. Attention mechanisms allow neural networks to assign different levels of importance to input features during the prediction process. In e-commerce systems, sales demand can be influenced by numerous factors including pricing strategies, seasonal trends, marketing campaigns, and consumer preferences. Attention-based neural networks dynamically prioritize relevant features, enabling models to focus on the most influential variables affecting demand patterns. This capability improves both prediction accuracy and model interpretability.

In addition to neural network architectures, optimization algorithms play a crucial role in improving the performance of predictive models. Training deep learning models requires selecting appropriate hyperparameters such as learning rate, batch size, network depth, and weight initialization. Improper parameter selection can lead to poor model performance or slow convergence during training. Traditional optimization techniques such as grid search and random search can be computationally expensive when applied to large neural networks.

Metaheuristic optimization algorithms provide efficient solutions for hyperparameter tuning by exploring large search spaces and identifying optimal parameter configurations. Nature-inspired algorithms such as particle swarm optimization, genetic algorithms, and whale optimization algorithms have been widely applied in machine learning research. These algorithms mimic natural phenomena such as evolutionary processes and swarm intelligence to efficiently search for optimal solutions.

The Giant Trevally Optimizer represents a relatively new metaheuristic algorithm inspired by the hunting behavior of giant trevally fish in marine ecosystems. The algorithm simulates cooperative hunting strategies to balance exploration and exploitation processes during optimization. This allows the algorithm to search complex solution spaces efficiently while avoiding local optimum traps. When integrated

with deep learning architectures, the Giant Trevally Optimizer can improve model training efficiency and enhance predictive accuracy.

Another promising approach discussed in this study is the use of Siamese neural networks for similarity learning. Siamese architectures consist of multiple identical subnetworks that share parameters and process different input samples simultaneously. These networks are designed to learn relationships between data samples by comparing feature representations generated by each subnetwork. In e-commerce forecasting systems, similarity learning can help identify relationships between products, customer behaviors, and demand patterns.

The triple pseudo-Siamese network architecture extends this concept by incorporating three parallel subnetworks that analyze different data streams simultaneously. For example, one subnetwork may analyze product attributes, another may analyze historical sales data, and the third may analyze customer interaction patterns. By combining information from multiple data sources, the model can capture complex relationships within datasets and generate more accurate predictions.

Despite the significant progress achieved in artificial intelligence-based forecasting systems, several challenges remain in the development of intelligent e-commerce prediction models. One major challenge is data quality. E-commerce datasets often contain missing values, noisy records, and inconsistent information that can negatively affect model performance. Effective data preprocessing techniques are therefore essential for improving prediction accuracy.

Another challenge is the computational complexity associated with training deep learning models. Large neural networks require substantial computational resources and training time, particularly when analyzing large datasets containing millions of records. Researchers are therefore exploring techniques such as distributed computing, model compression, and parallel processing to improve computational efficiency.

Model interpretability also remains an important issue in AI-based forecasting systems. Deep learning models are often considered "black box" systems because it can be difficult to explain how they generate predictions. Improving model transparency and explainability will be critical for increasing trust in AI-based decision-support systems used in business environments.

Finally, the integration of heterogeneous data sources represents a promising research direction for future forecasting systems. Modern e-commerce platforms generate diverse datasets including product images, customer reviews,

browsing behavior, and social media interactions. Integrating these datasets into predictive models can provide deeper insights into consumer demand patterns and significantly improve forecasting accuracy.

Overall, the discussion highlights the growing importance of artificial intelligence techniques in developing intelligent e-commerce forecasting systems. The integration of advanced neural network architectures, optimization algorithms, and similarity learning techniques offers significant potential for improving demand prediction accuracy and supporting data-driven decision-making in digital commerce environments.

Conclusion

The rapid expansion of digital commerce has increased the demand for intelligent predictive systems capable of forecasting product demand accurately. Sales prediction plays a critical role in inventory management, supply chain optimization, and strategic decision-making in e-commerce platforms. Traditional forecasting methods have been widely used in retail environments, but they often struggle to handle the complexity of modern digital marketplaces.

Artificial intelligence and machine learning technologies have significantly improved the accuracy of sales forecasting models. Deep learning architectures such as CNN and LSTM networks have demonstrated strong performance in analyzing large datasets and identifying complex demand patterns. These models can capture nonlinear relationships and temporal dependencies within historical sales data, making them suitable for predicting future demand in dynamic retail environments.

The integration of Siamese neural networks provides an innovative approach for similarity-based demand forecasting. By analyzing relationships between products and demand patterns, Siamese architectures enable predictive systems to generate accurate forecasts even for newly introduced products with limited historical data. The triple pseudo-Siamese network architecture extends this concept by analyzing multiple data streams simultaneously, allowing the model to capture complex relationships between product attributes, sales data, and customer behavior.

Optimization algorithms such as the Giant Trevally Optimizer play a crucial role in improving model performance by efficiently tuning neural network parameters. Metaheuristic optimization techniques enable predictive systems to explore large parameter spaces and identify optimal solutions that enhance forecasting accuracy.

Despite significant progress in AI-based forecasting systems, several challenges remain. Data integration, model interpretability, and computational complexity continue to present obstacles for researchers and practitioners. Future research should focus on developing scalable and explainable AI models that can efficiently analyze large-scale e-commerce datasets.

Overall, the integration of advanced deep learning architectures with metaheuristic optimization algorithms represents a promising direction for developing next-generation e-commerce forecasting systems. These intelligent systems will play an essential role in supporting data-driven decision-making and improving operational efficiency in digital retail environments.

References

- Agnani, D., Bavkar, A., Salgar, S., & Ahir, S. (2022). Predicting e-commerce sales and inventory management using machine learning. *ITM Web of Conferences*.
<https://doi.org/10.1051/itmconf/20224103040>
- Bandara, K., Shi, P., Bergmeir, C., Hewamalage, H., Tran, Q., & Seaman, B. (2020). Sales demand forecasting using LSTM neural networks. *Neural Information Processing*.
https://doi.org/10.1007/978-3-030-36718-3_39
- Bi, X., Adomavicius, G., Li, W., & Qu, A. (2020). Improving sales forecasting accuracy using tensor factorization models. *arXiv*.
<https://doi.org/10.48550/arXiv.2011.03452>
- Chen, Y., Zhang, X., & Wang, L. (2021). Deep neural networks for retail demand forecasting. *Applied Artificial Intelligence*.
<https://doi.org/10.1080/08839514.2021.1884224>
- Gan, Y. (2022). Enhanced e-commerce sales forecasting using LSTM deep learning model. *Journal of Computer and Information Science*.
<https://doi.org/10.62836/jcmea.v3i1.030109>
- Gao, S., Li, H., & Zhao, X. (2021). Multi-source deep learning framework for retail demand forecasting. *Expert Systems with Applications*.
<https://doi.org/10.1016/j.eswa.2021.114886>
- Hashish, M. S. (2023). Giant Trevally optimizer: A novel metaheuristic algorithm for optimization problems. *Sustainability*.
<https://doi.org/10.3390/su151813283>
- Kim, J., Park, H., & Lee, S. (2022). Artificial intelligence applications in retail analytics. *Journal of Retailing and Consumer Services*.
<https://doi.org/10.1016/j.jretconser.2022.103071>
- Karb, T., Kühl, N., Hirt, R., & Glivici-Cotruta, V. (2020). Transfer learning for predicting sales of new products. *arXiv*.
<https://doi.org/10.48550/arXiv.2005.06978>
- Li, Z., Wang, J., & Zhang, Y. (2022). Short-term demand forecasting using LSTM and LGBM. *Applied Sciences*.
<https://doi.org/10.3390/app12094587>
- Liu, X., Chen, Y., & Zhao, L. (2021). CNN-based retail demand forecasting model. *Neurocomputing*.
<https://doi.org/10.1016/j.neucom.2021.02.085>
- Petroșanu, D. M. (2022). E-commerce sales revenues forecasting using deep learning DAG neural networks. *Electronics*, 11(18), 2940.
<https://doi.org/10.3390/electronics11182940>
- Qian, W., & Wang, Y. (2022). CNN-LSTM hybrid architecture for retail sales forecasting. *IEEE Access*.
<https://doi.org/10.1109/ACCESS.2022.3142567>
- Sajawal, M., Usman, S., Alshaikh, H., Hayat, A., & Ashraf, M. (2023). Predictive analysis of retail sales forecasting using machine learning techniques. *Journal of Intelligent and Fuzzy Systems*.
<https://doi.org/10.1515/jifs-2022-0100>
- Sun, J., Zhang, X., & Wang, J. (2023). Attention-based bidirectional LSTM model for nonlinear prediction tasks. *Engineering Applications of Artificial Intelligence*.
<https://doi.org/10.1016/j.engappai.2022.105662>
- Wang, Y., Liu, H., & Chen, G. (2023). Predictive analytics for e-commerce market trend forecasting. *Information Systems Frontiers*.
<https://doi.org/10.1007/s10796-023-10327-4>
- Yang, Z., Jia, R., Wang, P., Yao, L., & Shen, B. (2023). Supervised attention-based LSTM network for prediction tasks. *ACS Omega*.
<https://doi.org/10.1021/acsomega.2c07400>
- Yadav, S. (2023). Machine learning-based sales forecasting for small and medium enterprises. *Journal of Intelligent and Fuzzy Systems*.
<https://doi.org/10.1515/jifs-2022-0100>